



DOSATRON[®]






Because life is powered by water[®]



- Vaccination through drinking water
- Medication through drinking water (curative & metaphylactic)
- Acidification through drinking water
- Supplementation through drinking water (Minerals, vitamins, probiotics, essential oils...)
- Disinfection of drinking water (Specials models WL-water line)
- Decontamination of vehicles and staff
- Fogging systems

Please contact us to check chemical compatibility.

- Fast & flexible vaccine or treatment administration through drinking water
- Ideal for very low water flow and water pressure (header tanks)
- Precise & homogeneous dosing independent of the variations in flow rate and pressure of the water
- Special models available for high concentration organic acids
- Reduced cross contamination risk compared to other methods of treatment
- Less stress for animals & less labour required

Animal Health Line			Dosage	Operating flow range min. - max.	Operating pressure	Stroke volume	Injection rate	Version
			% [Ratio]	(l/h) [US GPM]	bar [PSI]	l [Gal US]	l/h [US Fl. oz/min - mini US GPM - maxi]	serial
	DIAAL Low flow and mineral-laden water	DIA4AL	1 - 4 [1:100 - 1:25]	4.5 - 2 500 [0.02 - 11]	0.15 - 4 [2.2 - 57]	0.47 [0.124]	0.45 - 100 [0.25 - 0.44]	VF B.P.
		Connections NPT-BSP 3/4" M						
	D25ALN The New Standard D25+ care	D25AL5N	1 - 5 [1:100 - 1:20]	10 - 2 500 [0,04 - 11]	0.30 - 6 [4.3 - 85]	0.45 [0.118]	0.1 - 125 [0.056 - 0.55]	VF B.P. SD
		D25AL2N	0.2 - 2 [1:500 - 1:50]	10 - 2 500 [0,04 - 11]	0.30 - 6 [4.3 - 85]	0.45 [0.118]	0.02 - 50 [0.011 - 0.22]	VF B.P. SD
		Connections NPT-BSP 3/4" M						
	D9AL Large farms	D9AL2	0.2 - 2 [1:500 - 1:50]	500 - 9 000 [2.2 - 40]	0.30 - 8 [4.3 - 110]	1.7 [0.449]	1 - 180 [0.56 - 0.79]	VF
Connections NPT-BSP 1 1/2" M								
	D20AL Large cattle farms	D20AL2	0.2 - 2 [1:500 - 1:50]	1 000 - 20 000 [5 - 100]	0.12 - 10 [2 - 120]	5 [1.32]	2 - 400 [1.13 - 1.76]	VF B.P. I
Connections 2" M NPT-BSP								
EXPERTS DOSING PUMPS			Dosage	Operating flow range min. - max.	Operating pressure	Stroke volume	Injection rate	Version
			% Ratio	(l/h) [US GPM]	bar [PSI]	l [Gal US]	l/h [US Fl. oz/min - mini US GPM - maxi]	de série
	D25REAO Organic acids	D25RE09AO	0.1 - 0.9 [1:1000 - 1:112]	10 - 2 500 [0.04 - 11]	0.30 - 6 [4.3 - 85]	0.45 [0.118]	0.01 - 22.5 [0.0056 - 0.1]	VF B.P. K P.VDF
		D25RE2AO	0.2 - 2 [1:500 - 1:50]	10 - 2 500 [0.04 - 11]	0.30 - 6 [4.3 - 85]	0.45 [0.118]	0.02 - 50 [0.011 - 0.22]	VF B.P. K P.VDF

GENERICIS

D25RE2

Dosage: 0.2 - 2 % [1:500 - 1:50] -
Operating flow range: 10 l/h - 2.5 m³
Operating pressure: 0.30 - 6 bar

D25RE5

Dosage: 1 - 5% [1:100 - 1:20] -
Operating flow range: 10 l/h - 2.5 m³
Operating pressure: 0.30 - 6 bar

D25RE10

Dosage: 3 - 10% [1:33 - 1:10] -
Operating flow range: 10 l/h - 2.5 m³
Operating pressure: 0.30 - 4 bar

Available options :



Carter for highly concentrated acids



(Integrated by-pass) system for manual activation of the additive suction (on) and stop (off)



Recommended seal (plunger) for highly concentrated acids (>15%)



Recommended seals for additives pH ≤ 9



SD Ready



Food Compatibility



Support legs



Static dosing seals for high concentration organic acids

SmartDosing

Innovative management of your treatments through drinking water



SECURITY



OPTIMIZATION



TRACEABILITY



TIME SAVING

SmartLink

Data processing software



SD25AL5N

For more informations,
smartdosing.dosatron.com



Dosatron

Technology

EN

Dosatron technology is based on a hydraulic motor pump activated


only by pressure and the flow of the water

■ The hydraulic motor: Piston or Diaphragm Technology


The motor piston or motor diaphragm moves under the pressure reversed. Each piston or diaphragm cycle corresponds to a (motor volume). The speed of the motor varies proportionally to the flow of water.
The dosing pump is called a **VOLUMETRIC pump**.

of the water. A system of valves allows the movement to be predetermined volume of water which passes through the pump to the flow of water.

■ The diaphragm motor



■ The piston motor



■ The dosing assembly

The Dosing piston driven by the motor continuously injects a body. The dosing piston will inject the quantity of additive that motor. Therefore, the operating principle ensures constant dosing, the water.

The injection of the additive is **PROPORTIONAL** to the water

fixed volume of additive (adjustable capacity of the dosing corresponds to the volume of water passing through the independently of the variations in flow rate and pressure the

flow rate.

+ DIA

- Best performances at low flow (young animals / small groups)
- Best performances at low pressure (header tanks, pressure drops)
- Best motor lifespan with water loaded with minerals (iron, calcium)
- The less expensive motor maintenance of the market
- External injection to protect the motor from chemical attack

+ D25+

- N°1 selling dosing technology in the livestock market
- High dosage capability to insure oral powder solubility
- Easy maintenance (low spare parts numbers)
- Best inline dosing homogeneity





DOSATRON®

Because life is powered by water®


Download our
DOSATRON app



Available on the
App Store

Get it on
Google play

Customer service



DOSATRON INTERNATIONAL S.A.S.

Rue Pascal - B.P. 6 - 33370 TRESSES (BORDEAUX) - FRANCE

Tel. 33 (0)5 57 97 11 11 - Fax. 33 (0)5 57 97 11 29 / 33 (0)5 57 97 10 85

info@dosatron.com - www.dosatron.com



This document does not constitute a contractual commitment and is provided for information purposes only. DOSATRON INTERNATIONAL reserves the right to modify its equipment at any time.
© DOSATRON INTERNATIONAL S.A.S. 2021